



BRENTANO™

VIDA COLLECTION


TEXTILES + WALLCOVERINGS

With riveting selections and colorways, the Brentano Design Studio has mastered the movement of creating art out of everyday life.

2022 Fall Vida Collection - Textiles + Wallcoverings Overview

Vida, meaning life, is inspired by the ebbs and flows of our regular routines and the patterns that infiltrate our days. Vida offers an in-depth look into life's stunning palette and sophisticated designs by turning down the noise from our often busy and chaotic schedules. Our lives are inspiring; the moments that fill them create beautifully orchestrated music. Vida pulls these moments, patterns, and movements together to create Brentano's thoughtfully curated Fall textile and wallcovering line.

Highlighting light and airy colorways, the collection features classic neutrals, warm greys, and soft reds throughout its 12 textiles and 2 wallcoverings. With selections for multiple market segments and applications, the collection is a luxury offering of performance fabrics with indoor/outdoor textiles, a hybrid polyurethane, and statement drapery. Two wallcovering selections round out the collection by adding refined textures for modern interiors. "The Vida collection celebrates our inspirations from ordinary things," says Founder and Artistic Director Iris Wang. "The ability to see beauty in our daily lives is necessary for creativity." With riveting selections and colorways, the Brentano Design Studio has mastered the movement of creating art out of everyday life.



BRENTANO™

VIDA COLLECTION - TEXTILES + WALLCOVERINGS

Vida Collection - Talking Points

- Two new eco-friendly products made from SEAQUAL® YARN. SEAQUAL® YARN contains 10% Upcycled Marine Plastic and 90% post-consumer plastic from land sources. By using SEAQUAL® YARN, Brentano joins the SEAQUAL® INITIATIVE to raise awareness of the problem of marine litter and the organizations working to clean our oceans. SEAQUAL® INITIATIVE works with NGOs, fishermen, authorities and local communities to help clean our oceans. Marine litter from our beaches, ocean floor and surface, rivers and estuaries, is collected by clean-up programs. It is then sorted into different material types and the plastic portion is cleaned and transformed into Upcycled Marine Plastic. Environmentally conscious brands and manufacturers then transform this new, fully-traceable raw material into inspiring sustainable products for every aspect of our lives.
- Renata’s unique 10-inch vertical repeat of geometric elements subtly mimics the contour of a plastic water bottle. The re-imagined hidden bottle is a playful ode to the fabric’s use of SEAQUAL® YARN derived from upcycled marine plastic retrieved from oceans, beaches, and rivers.
- Journal is a new hybrid polyurethane with a 100% Silicone face. It’s soft and supple qualities make it a luxurious addition to design projects.
- Two new Type II Vinyl, Phthalate-Free wallcoverings, Central and Traverse.
- In response to rep feedback and the market, all products in the Vida collection are priced at under \$99.
- The entire collection is bleach cleanable with the exception of Clockwork and Pendulum.
- Clockwork and Pendulum can be treated to pass NFPA 701 making them stunning selections for commercial drapery use.

Vida Collection At A Glance

Bacterial Resistant	Bleach Cleanable	Eco-Fabrics	Ink Safe™
<ul style="list-style-type: none"> • Aspen • Carrick • Golden Hour • Homestead • Masala • Sassafras 	<ul style="list-style-type: none"> • Anastasia • Aspen • Carrick • Central • Golden Hour • Homestead • Interval • Journal • Masala • Renata • Sassafras • Traverse 	<ul style="list-style-type: none"> • Anastasia • Clockwork • Interval • Pendulum • Renata 	<ul style="list-style-type: none"> • Journal
		Indoor/Outdoor	Performance
		<ul style="list-style-type: none"> • Aspen • Carrick • Golden Hour • Homestead • Masala • Sassafras 	<ul style="list-style-type: none"> • Anastasia • Interval • Renata
			Wallcoverings
			<ul style="list-style-type: none"> • Central • Traverse

BRENTANO™

VIDA COLLECTION - TEXTILES + WALLCOVERINGS



6574 Anastasia

A 57" width fabric, woven from 65% polyester and 35% post-consumer recycled polyester, and utilizing SEAQUAL® YARN, Anastasia is an environmentally conscious product working to solve issues with an abundance of marine litter; a subtle parallel to its namesake meaning resurrection. Like light hitting the ocean waves as they break on the shore, Anastasia has a beautiful texture of varying depths in 8 colorways. At a reliable 100,000 double rubs (Wyzenbeek, Wire Screen), acrylic backing and optional Tri-sistant finish, this chic bleach cleanable upholstery is a steadfast choice for contract and hospitality applications. Anastasia ranks among Brentano's most eco-friendly fabrics and is available for possible LEED points.

Fabric Information and Technical Specifications

Width: 57" [145 cm]

Contents: 65% Polyester, 35% Post-Consumer Recycled Polyester

Finish: Acrylic Backing/Option: Tri-sistant can be applied

Wear Test: 100,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 5 (AATCC 16)

Pilling: Class 4.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp: 102.2 lb Fill: 90.5 lb (ASTM D4034)

Breaking Strength: Warp: 172 lb Fill: 189 lb ASTM D 5034 (Grab)

Cleaning Code: W/S/B1:10 (Water/Solvent/Bleach)

Application: Upholstery

Fabric Weight (L/Y): 15 oz

Special Note: Made with SEAQUAL® YARN

Colorways



01 Spumante



02 Winter



03 Feldspar



04 Ocelot



05 River Run



06 Loose Change



07 Cyanotype



08 Halley's Comet



3160 Aspen

Aspen, named after the tree species, is a welcomed addition to Brentano's indoor/outdoor fabric line with a tonal pattern and subtle raised texture. A 55" width fabric coming in 5 soft-spoken neutrals, including Meerkat and Tundra Wolf, Aspen is a relaxed addition to outdoor spaces vastly differing from its sassy sister, Sassafra. Bleach cleanable and bacterial resistant, this 83% Solution-Dyed Polypropylene and 17% Polyester fabric is durable with an abrasion resistance of 50,000 Double Rubs (Wyzenbeek, Wire Screen). This tactile textile is both restrained and chic, making it a soothing addition to design spaces needing staple anchor fabrics for indoor/outdoor environments. Brentano's Tri-sistant finish can be added through our cut yardage program for additional performance.

Fabric Information and Technical Specifications

Width: 55" [140 cm]

Contents: 83% Solution-Dyed Polypropylene, 17% Polyester

Finish: Option: Tri-sistant can be applied

Repeat: Approx. V 24" - H 27-5/8" (V 60.96cm - H 70.17cm)

Wear Test: 50,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117:2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 600 Hours Class 4.5 (AATCC 16)

Pilling: Class 5.0 (ASTM D3511)

Crocking: Dry: 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp: 139.1 lb Fill: 146.1 lb (ASTM D4034)

Breaking Strength: Warp: 396 lb Fill: 338 lb ASTM D 5034 (Grab)

Cleaning Code: W/S/B:10 (Water/Solvent/Bleach)

Application: Indoor/Outdoor Upholstery

Fabric Weight (L/Y): 16 oz

Special Note: Bacterial Resistant

Colorways



01 Tundra Wolf



02 Buttermilk



03 Sand Dollar



04 Meerkat



05 Grey Hawk



1342 Carrick

Carrick is an extraordinary textured fabric highlighting the intricate and nuanced beauty of fibers. This complex textile was created using a novelty yarn that is cabled before weaving, giving Carrick its sophisticated, braided face; a nod to the Carrick knot, after which it was named. A 54" width, 100% Solution-Dyed Polypropylene upholstery fabric, Carrick is bleach cleanable, bacterial resistant, and passes Cal 117. In 6 sophisticated neutrals, such as Elderflower and Macchiato, this attractive textile has an abrasion resistance of over 50,000 Double Rubs (Wyzenbeek, Wire Screen). A durable and smart choice for outdoor design applications, this textile is also a handsome selection for benches, headboards, and seating areas in high traffic spaces.

Fabric Information and Technical Specifications

Width: 54" [137 cm]

Contents: 100% Solution-Dyed Polypropylene

Wear Test: Over 50,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 600 Hours Class 4.5 (AATCC 16)

Pilling: Class 5.0 (ASTM D3511)

Crocking: Dry: 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp: 61.5 lb Fill: 123.2 lb (ASTM D4034)

Breaking Strength: Warp: 631 lb Fill: 235 lb ASTM D 5034 (Grab)

Cleaning Code: W/S/B 1:10 (Water/Solvent/Bleach)

Application: Indoor/Outdoor Upholstery

Fabric Weight (L/Y): 26 oz

Special Note: Bacterial Resistant

Colorways



01 Elderflower



02 Tin Cup



03 Ancient Ruins



04 Macchiato



05 Driftwood



06 Grey Mule



9651 Clockwork

With a fever for flannel, the Brentano Design team sought to create a follow-up to the ever-popular modern plaid, Scene from the Framework Collection. Affectionately named Clockwork for its expected regularity and structure, the multi-layering of colors in the warp and weft gives this contemporary pattern added flair by creating layers of depth and intricate overlays like the minutes, hours, and seconds on a clock. In 8 captivating colorways like Redwood and Picasso Stone, Clockwork's stunning colorwork sets this sophisticated wool-blend apart from traditional flannels, making it a lively addition to corporate breakout spaces or a handsome selection for residential sofas. Like its sister fabric, Pendulum, this 56" wide reversible textile can be treated to pass NFPA 701 for commercial drapery applications. For added performance, Tri-sistant can be added through our cut yardage program. With 75% Recycled Content, Clockwork is an eco-friendly fabric and is available for possible LEED points.

Fabric Information and Technical Specifications

Width: 56" [142 cm]

Contents: 50% Acrylic, 25% Wool, 25% Polyester
(75% Recycled Content)

Finish: Stain Resistant

Repeat: Approx. V 7" - H 7-1/8" (V 17.78cm - H 18.10cm)

Wear Test: 100,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013,
UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 4.5 (AATCC 16)

Pilling: Class 2.0 (ASTM D3511)

Crocking: Dry: 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp 115.4 lb Fill: 123.2 lb (ASTM D4034)

Breaking Strength: Warp: 145 lb Fill: 135 lb ASTM D 5034 (Grab)

Cleaning Code: W/S (Solvent)

Application: Upholstery, Residential Drapery, Reversible

Fabric Weight (L/Y): 16 oz

Colorways



01 Wild Prairie



02 Caribou



03 Oak Barrel



04 Rowboat



05 Redwood



06 Arctic Coast



07 Pine Forest



08 Picasso Stone



1203 Golden Hour

An attractive indoor/outdoor selection, Golden Hour is captivating in 7 charming light neutral colorways. The foundation for the Vida collection, this standout pattern was created by compiling still photos and time-lapse videos of the sun casting shadows on foliage and windowpanes onto the carpet at Brentano's headquarters. The Brentano Design Studio tirelessly re-imagined the images and video to capture the precise union of light, timing, and layers to produce this fabric design. The organic, textural pattern blends light and dark tones with a speckled design to mimic how the light diffused off the surface as the sun was setting. The 55" wide, Solution-Dyed FR Polypropylene and High Energy-Dyed FR Polyester is bleach cleanable, bacterial resistant and IMO Wheelmark Certified with an abrasion resistance of 100,000 Double Rubs (Wyzenbeek, Wire Screen).

Fabric Information and Technical Specifications

Width: 55" [140 cm]

Contents: 76% Solution-Dyed FR Polypropylene,
24% High Energy-Dyed FR Polyester

Repeat: Approx. V 15-3/8" - H 27-3/4" (V 39.05cm - H 70.49cm)

Wear Test: 100,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1,
NFPA 260 Class 1, IMO 2010 FTP Code Part 8 Upholstery

Lightfastness: 600 Hours Class 4.5 (AATCC 16)

Pilling: Class 4.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp: 117.2 lb Fill: 125.1 lb (ASTM D4034)

Breaking Strength: Warp: 499 lb Fill: 275 lb ASTM D 5034 (Grab)

Cleaning Code: W/S/B 1:16 (Water/Solvent/Bleach)

Application: Indoor/Outdoor Upholstery

Fabric Weight (L/Y): 26 oz

Special Note: IMO Wheelmark Certified. Bacterial Resistant.

Colorways



01 Belgian Cream



02 Dove



03 Sand Dollar



04 Tide Pool



05 Brown Pelican



06 Amaretto



07 Grey Whale



1214 Homestead

Homestead, a Design Studio favorite, is a contemporary graphic pattern with tribal characteristics. In 11 bright, eye-catching colorways, including Running Waters and Smoked Silver, this 54" width indoor/outdoor upholstery fabric is bleach cleanable and bacterial resistant with an abrasion resistance of 100,000 Double Rubs (Wyzenbeek, Wire Screen). The linear qualities within the field of the fabric and the pencil-like nature of the geometric design combine to create a dynamic fabric pattern ideal for roof-top bars or poolside lounges. IMO Wheelmark Certified, Homestead is a lively choice for marine applications designed for harsh UV elements. Brentano's Tri-sistant finish can be applied for additional security in high traffic environments.

Fabric Information and Technical Specifications

Width: 54" [137 cm]

Contents: 100% Solution-Dyed FR Polypropylene

Finish: Option: Tri-sistant can be applied

Repeat: Approx. V 7-3/4" - H 4-3/4" (V 19.69cm - H 12.07cm)

Wear Test: 100,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1, IMO 2010 FTP Code Part 8 Upholstery

Lightfastness: 600 Hours Class 4 (AATCC 16)

Pilling: Class 4.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp 129.9 lb Fill: 152.9 lb (ASTM D4034)

Breaking Strength: Warp: 502 lb Fill: 393 lb ASTM D 5034 (Grab)

Cleaning Code: W/S/B1:16 (Water/Solvent/Bleach)

Application: Indoor/Outdoor Upholstery

Fabric Weight (L/Y): 23 oz

Special Note: IMO Wheelmark Certified. Bacterial Resistant

Colorways



01 Dove



02 Flax



03 Wooden Pencil



04 Pear



05 Cyanotype



06 Clementine



07 French Silk



08 Midnight



09 Smoked Silver



10 Deco Navy



11 Running Waters



4527 Interval

Interval uses random repeated pauses to create a dynamic abstract pattern like segmented breaks throughout our day. The 54" upholstery comes in 9 unique but usable color combinations like Coastal Escape and Georgia Clay. Designed to withstand high traffic environments, Interval is bleach cleanable with an abrasion resistance of 100,000 Double Rubs (Wyzenbeek, Cotton Duck) and upholds performance with Alta™ finishing and acrylic backing. This small-scale multi-colored fabric adds a pop of pizzazz to healthcare and contract applications, whether it be for waiting rooms or office lounges. With a 100% Solution-Dyed Nylon warp, Interval is the ultimate heavy duty, quirky colored fabric selection for environments needing the utmost durable fabric selections. With 52% post-consumer recycled polyester, Interval is one of Brentano's many eco-friendly fabrics and is available for possible LEED points.

Fabric Information and Technical Specifications

Width: 54" [137cm]

Contents: 52% High Energy-Dyed PC Recycled Polyester, 28% Solution-Dyed Nylon, 20% High Energy-Dyed Polyester

Finish: Alta™ and Acrylic Backing

Repeat: Approx. V25-1/4" - H 13-7/8" (V 64.14cm - H 35.24 cm)

Wear Test: 100,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 4.5 (AATCC 16)

Pilling: Class 5.0 (ASTM D3511)

Crocking: Dry: 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp 53.3 lb Fill: 73.4 lb (ASTM D4034)

Breaking Strength: Warp: 258 lb Fill: 438 lb ASTM D 5034 (Grab)

Cleaning Code: W/S/B1:5 (Water/Solvent/Bleach)

Application: Upholstery

Fabric Weight (L/Y): 18 oz


Colorways




01 Coastal Escape




02 Mushroom Risotto




03 Honey Blonde




04 Chesapeake Crab



05 Meadow Rock



06 Gilded Sand



07 Georgia Clay



08 House Sparrow



09 Dumetella



6815 Journal

A 54" width hybrid polyurethane with a 100% Silicone face, Journal is a luxurious and supple textile selection that stays true to Brentano's mantra of beauty + performance. This minimally textured faux leather is ink|Safe and bleach cleanable, with an abrasion resistance of 100,000 Double Rubs (Wyzenbeek, Cotton Duck) and a plush knitted backing for an exceptional tensile strength without sacrificing its soft hand. Ideal for high-traffic hospitality, contract, or healthcare applications, Journal comes in 10 usable colorways, including Gesso and Dusty Mauve.

Fabric Information and Technical Specifications

Width: 54" [137 cm]

Contents: 100% Silicone Face; Overall: 56% Polyurethane, 40% Polyester, 4% Silicone

Finish: Ink Safe™

Wear Test: 100,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 200 Hours Class 4 (AATCC 16)

Hydrolysis: 10 Weeks (ISO 1419 Tropical Test Method C)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Strength: Warp 66.7 lb Fill: 70.9 lb (ASTM D751) Tack Tear

Tearing Strength: Warp: 45.9 lb Fill: 47.0 lb (ASTM D751) Tongue

Breaking Strength: Warp: 111.2 lb Fill: 240.0 lb (ASTM D751) Grab

Cleaning Code: W/S/B1:1:10 (Water/Solvent/Bleach)

Application: Upholstery

Fabric Weight (L/Y): 28 oz

Colorways



01 Gesso



02 Coffee Creamer



03 Sand Dollar



04 Putty




05 Skipping Stone




06 Sea Lion




07 Toasted Pecan



08 Dusty Mauve



09 Graphite



10 Blackcurrant



1234 Masala

Masala is a speckled, small-scale indoor/outdoor textile constructed from fine polypropylene yarns, available in 10 colorways. A beautiful complement to Homestead and Golden Hour, Masala is a textural wonder with two-toned colorways elevating its rich texture to create a wide selection of colors in a full range of rich hues, including cheerful tones and useful neutrals. With 100,000 Double Rubs (Wyzenbeek, Wire Screen), the 54" width, 100% Solution-Dyed FR Polypropylene fabric is bleach cleanable, bacterial resistant, and IMO Wheelmark Certified. A durable selection for beachside lounges or contract seating, Masala is a versatile fabric also suitable for upholstered wall panels and passes ASTM E-84 Unadhered. Brentano's Tri-sistant finish can also be applied for added performance through Brentano's cut yardage program.

Fabric Information and Technical Specifications

Width: 54" [137 cm]

Contents: 100% Solution-Dyed FR Polypropylene

Finish: Option: Tri-sistant can be applied

Wear Test: 100,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117:2013, UFAC Class 1, NFPA 260 Class 1, ASTM E-84 Class A (Unadhered), IMO 2010 FTP Code Part 8 Upholstery

Lightfastness: 600 Hours Class 4 (AATCC 16)

Pilling: Class 5.0 (ASTM D3511)

Crocking: Dry: 4.5 Wet 4.5 (AATCC 8-2016)

Seam Slippage: Warp: 123.7 lb Fill: 122.0 lb (ASTM D4034)

Breaking Strength: Warp: 273 lb Fill: 261 lb ASTM D 5034 (Grab)


Cleaning Code: W/S/B1:16 (Water/Solvent/Bleach)

Application: Indoor/Outdoor Upholstery

Fabric Weight (L/Y): 14 oz

Special Note: IMO Wheelmark Certified. Bacterial Resistant.

Colorways



01 Ostrich Feather



02 Sand Dollar



03 Mourning Dove



04 Rose Gold



05 Driftwood



06 Dark Lager



07 Seaglass



08 Red Rock



09 Amber Light



10 Deep Sea



9650 Pendulum

Drawing inspiration from the repetitive and sweeping nature of a Pendulum in a grandfather clock, this 56" wide textile uses vertical stripes to create a repeating pattern with subtle color shifts. Diverging from the handsome colorways of its sister fabric Clockwork, Pendulum comes in 6 soft, serene colorways, including Birch Bark and Cape Cod. Passing Cal 117 with an abrasion resistance of 100,000 Double Rubs (Wyzenbeek, Cotton Duck), and a stain-resistant finish, Pendulum is a sleek and sophisticated selection for design applications. Also suitable for residential drapery, Pendulum makes a statement when paired with a box pleat for a polished contemporary look. For added performance, Brentano's cross-linked finish Tri-sistant can be added through our cut yardage program and can be treated to pass NFPA 701 for commercial drapery. This eco-friendly fabric has 75% Recycled Content and is available for possible LEED points.

Fabric Information and Technical Specifications

Width: 56" [142 cm]

Contents: 50% Acrylic, 25% Wool, 25% Polyester
(75% Recycled Content)

Finish: Stain Resistant, Option: Tri-sistant can be added

Wear Test: 100,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117:2013,
UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 4.5 (AATCC 16)

Pilling: Class 2.0 (ASTM D3511)

Crooking: Dry 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp: 74.2 lb Fill: 91.1 lb (ASTM D4034)

Breaking Strength: Warp: 117 lb Fill: 71 lb ASTM D 5034 (Grab)

Cleaning Code: W/S (Water/Solvent)

Application: Upholstery, Residential Drapery, Reversible

Fabric Weight (L/Y): 16 oz

Colorways



01 Birch Bark



02 Grey Mongoose



03 Striped Hyena



04 Cape Cod



05 Cast Iron



06 Woodland Lake

6571 Renata

A welcoming chenille, Renata's soft hand is a charming addition to commercial spaces while still maintaining the beauty and performance Brentano has come to be known for. A 57" wide fabric, with an artful nod to the neo-deco trend; Renata's swooping curves and sleek geometrics offer a distinctive and exciting patterning for commercial spaces. Aesthetically pleasing to the eye, Renata, meaning reborn, has a unique 10-inch vertical repeat of geometric elements subtly mimics the contour of a plastic water bottle. The re-imagined hidden bottle is a playful ode to the fabric's use of SEAQUAL® YARN derived from upcycled marine plastic retrieved from oceans, beaches, and rivers. Renata, is designed for high traffic contract applications with an abrasion resistance of 100,000 Double Rubs (Wyzenbeek, Wire Screen), exceeding industry standards for strength and durability. A quirky throw pillow or a funky highlight to breakout spaces and banquettes, Renata's 7, soft and refreshing colorways including Alaskan Coast and Narwhal, can stand alone or pair with stunning anchor fabrics. An acrylic backing, bleach cleanability, and option for Brentano's cross-linked Tri-sistant stain resistant finish give Renata added durability for those in need of performance fabrics for well-loved upholstery applications. These combined performance features with the combination of eco-friendly contents make this fabric a cut above current commercial solutions for high traffic areas and qualifies for possible LEED points.

Fabric Information and Technical Specifications

Width: 57" [145cm]

Contents: 61% Polyester, 39% Post-Consumer Recycled Polyester

Finish: Acrylic Backing / Option: Tri-sistant can be applied

Repeat: Approx. V 10-5/8" - H 7/8" (V 26.99cm - H .875cm)

Wear Test: 100,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 5 (AATCC 16)

Pilling: Class 4.5 (ASTM D3511)

Crocking: Dry: 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp 108.7 lb Fill: 99.9 lb (ASTM D4034)

Breaking Strength: Warp: 231 lb Fill: 280 lb ASTM D 5034 (Grab)

Cleaning Code: W/S/B1:10 (Water/Solvent/Bleach)

Application: Upholstery

Fabric Weight (L/Y): 21 oz


Special Note: Made with SEAQUAL® YARN




Colorways



01 Baby Beluga



02 Sea Spray



03 Alaskan Coast




04 Water Lettuce



05 Red Snapper



06 Trevally



07 Narwhal



3161 Sassafra

A quirky indoor/outdoor fabric, Sassafra uses neutrals and bright colors to create a contrasting pattern that mimics tree bark's intricate peaks and valleys. Like a Sassafra tree in the fall, this 55" width textile is a wonder in 9 playful colorways, including Spiced Rum and Bali Surf. A playful addition to outdoor spaces needing a pop of color, Sassafra is also durable with an abrasion resistance of 50,000 Double Rubs (Wyzenbeek, Wire Screen), bleach cleanability, bacterial resistance, and the option for a Tri-sistant finish. A bold selection, Sassafra is a perfect pairing for a patio, pool party, or design spaces needing added flair.

Fabric Information and Technical Specifications

Width: 55" [140 cm]

Contents: 83% Solution-Dyed Polypropylene, 17% Polyester

Finish: Option: Tri-sistant can be applied

Repeat: Approx. V 24" - H 27-5/8" (V 60.96cm - 70.17cm)

Wear Test: 50,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117:2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 600 Hours Class 4.5 (AATCC 16)

Pilling: Class 5.0 (ASTM D3511)

Croaking: Dry 4.5 Wet: 4.5 (AATCC 8-2016)

Seam Slippage: Warp: 139.1 lb Fill: 146.1 lb (ASTM D4034)

Breaking Strength: Warp: 396 lb Fill: 338 lb ASTM D 5034 (Grab)

Cleaning Code: W/S/B1:10 (Water/Solvent/Bleach)

Application: Indoor/Outdoor Upholstery

Fabric Weight (L/Y): 16 oz

Special Note: Bacterial Resistant

Colorways




01 Sand Dunes




02 Spiced Rum




03 Southwest Sunset




04 Bali Surf



05 Calathea Leaves



06 Kombu



07 Blue Mackerel



08 Coho



09 Cracked Pepper

VIDA COLLECTION

TEXTILES + WALLCOVERINGS





V105 Central

Long enamored with the nuanced subtleties of the concrete structures scattered throughout their daily commutes, the Brentano Design Studio sought to create a multi-colored, textured wallcovering with beauty and balance. Pulling inspiration from the details within concrete, the design team meticulously worked to create a synergy between warm and cool tones. A 54" width, bleach cleanable Type II, Phthalate-Free Vinyl with an Osnaburg backing, Central, derived from the metropolitan landscape, comes in 8 urban-inspired colorways like White Calcite and Basalt. With natural beauty, metallic ink, and a stucco-like texture, Central is a modern addition to contract and hospitality designs; add a pop of color and varied textural upholsteries for an exquisite contrasting space.

Fabric Information and Technical Specifications

Width: 54" (Usable width 52") [137 cm (Usable width 132 cm)]

Contents: 100% Non-Phthalate Vinyl Face;
Overall: 85% Vinyl, 14% Polyester, 1% Cotton

Backing: Osnaburg

Flammability: Passes ASTM E-84 Class A (Adhered),
EN 13501-1: 2018 Class B-s1, d0

Lightfastness: 200 Hours Class 5 (AATCC 16)

Installation: Random Match, Reverse Hang

Crocking: Dry 4.0 Wet: 4.5 (AATCC 8-2016)

Tearing Strength: 25 lb / 25 lb ASTM D751 (Tongue)

Breaking Strength: 50 lb / 55 lb ASTM D751 (Grab)

Cleaning Code: W/B1:10 (Water/Bleach)

Application: Wallcovering

Fabric Weight (L/Y): Type II, 20 oz. per lineal yard (453g/m²)

Colorways



01 White Calcite



02 Arctic Ice



03 Crater



04 Moon Rock



05 Silver Dollar



06 Rhyolite



07 Penny



08 Basalt

BRENTANO™

VIDA COLLECTION - WALLCOVERINGS



V106 Traverse

Traverse, meaning to go or travel over, is affectionately named for its subtle color shifts, which create a feeling of a sensational, striking terrain throughout this bleach cleanable, Phthalate-Free, Type II Vinyl with an Osnaburg backing. This 54" width wallcovering is a perfect mix of dynamic pattern work and gorgeous hues. In 7 eye-catching neutral colorways, including Blonde Roux and Tungsten, this 3-color pass wallcovering is a bespoke selection for the serene home office, restorative waiting room, or bustling hotel lobby. Imitating the dapper qualities of its textile counterpart Pyrenees, Traverse uses layering to create a dimensional graphic pattern with contrasting, textural elements. With its heavily textured appearance, Traverse is the ideal wallcovering selection for a seamless finish.

Fabric Information and Technical Specifications

Width: 54" (Usable width 54") [137 cm (Usable width 137 cm)]

Contents: 100% Non-Phthalate Vinyl Face;

Overall: 85% Vinyl, 14% Polyester, 1% Cotton

Backing: Osnaburg

Flammability: Passes ASTM E-84 Class A (Adhered),
EN 13501-1: 2018 Class B-s1, d0

Lightfastness: 200 Hours Class 5 (AATCC 16)

Installation: Random Match, Reverse Hang

Crocking: Dry 4.0 Wet: 4.5 (AATCC 8-2016)

Tearing Strength: 25 lb / 25 lb ASTM D751 (Tongue)

Breaking Strength: 50 lb / 55 lb ASTM D751 (Grab)

Cleaning Code: W/B1:10 (Water/Bleach)

Application: Wallcovering

Fabric Weight (L/Y): Type II, 20 oz. per lineal yard (453g/m²)

Colorways



01 Shaved Ice



02 Béchamel



03 Blonde Roux



04 Glacial Silt



05 Maple Tap



06 Stroat



07 Tungsten

BRENTANO™

VIDA COLLECTION - WALLCOVERINGS