



SPRING 2019 | COLLECTION GUIDE

BRENTANO™

SOVEREIGN COLLECTION


Spring 2019 Sovereign Collection Overview

Opulent, modern and sophisticated, the Sovereign Collection brings refined brilliance to Spring 2019. Featuring updated interpretations of classic designs and motifs, the collection draws on the rich and intricate elements of classic architecture and heraldic designs. Each stunning pattern highlights key details and emboldens them in a subtle, contemporary manner.

Foundations of the collection, Quill and Ink exhibit beautiful, feathered designs inspired by the 17th Century technique of paper marbling. The deluxe mohair velvet, Empire, is offered in an array of opulent colorways that would add a rich and lustrous accent to any interior. Bold and modern, Courtyard has outstanding performance properties, making it an ideal choice for hospitality and commercial settings. Smart and classic, Regiment is a beautiful ottoman weave with an eye-catching structural texture, that makes it a truly versatile anchor fabric.

Brentano is also excited to expand our Brentano Studio offerings with the introduction of the charming and practical, Checkmate. Also, our first Studio Polyurethane, Corinthian, truly embodies our mantra of Beauty + Performance.

The Sovereign collection stands as a display of extravagant artistic design within the medium. Seventeen patterns push the expressive limits of textiles, offering bold and novel fabrics for many different types of interiors.



Sovereign Collection - Talking Points

- Two new faux-leathers including Corinthian and our perforated PU, Plateau
- Two new indoor/outdoor performance fabrics
- A new luxurious mohair pile featuring 18 bold colorways
- Two new Brentano Studio textiles, Courtyard and Corinthian (PU)


Sovereign Collection - Promotional Marketing Materials Included

- Collection brochure
- Collection postcards, 2 sets
- Road kit - Sovereign collection textiles included
- Sovereign Installation shots
- Sovereign collection drawings



6527 Courtyard

A magnificent, large-scale pattern, Courtyard employs focused, micro details to create a remarkable circular design. The result is a unique fabric that, while decorative, is also defined and open in character. This 57" width fabric comes in 8 colorways and has an abrasion resistance of 100,000 double rubs (Wyzenbeek, Cotton Duck). It's further enhanced by an acrylic backing, Brentano's Tri-sistant finish, and it's bleach cleanable. This makes Courtyard as practical as it is arresting, providing an unparalleled opportunity to bring elegance to even the most demanding hospitality, healthcare and contract settings.



Fabric Information and Technical Specifications

Width: 57" [145 cm]

Contents: 93% Polyester, 5% PI Recycled Polyester, 2% PC Recycled Polyester

Finish: Tri-sistant and Acrylic Backing

Repeat: Approx. V 15-1/2" - H 14-1/2" (V 39.37cm - H 36.83cm)

Wear Test: 100,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 3.5 (AATCC 16)

Piling: Class 4.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Seam Slippage: Warp 69.1 lb Fill: 84.1 lb (ASTM D4034)

Breaking Strength: Warp: 215 lb Fill: 424 lb ASTM 5034 (Grab)

Cleaning Code: W/S/B 1:10 (Water/Solvent/Bleach)

Application: Upholstery

Fabric Weight (L/Y): 16 oz

Colorways



01 Gardenia



02 Silver Spoon



03 Caribbean



04 Oak



05 Driftwood



06 Tomato



07 Midnight



08 Humidor

3912 Plateau

One-of-a-kind, Plateau reaches new heights for our eco-friendly faux-leathers. Offered in 4 neutral colorways, this 54" width polyurethane fabric uses Brentano's Terrain as a base, adding a subtle and consistent perforation across the whole fabric. A strong, black knit backing offers stability while adding a visual depth to each perforation. Like Terrain, Plateau has an abrasion resistance of 100,000 rubs (Wyzenbeek, Cotton Duck) making it an informed choice within a distinct, avant-garde interior.

Fabric Information and Technical Specifications

Width: 54" [137cm]

Contents: 100% Polyurethane Face; Overall: 40% Polyurethane, 39% Nylon, 21% Polyester

Finish: Knit Baking

Wear Test: 100,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117:2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 200 Hours Class 5 (AATCC 16)

Hydrolysis: 5 weeks (ISO 1419 Tropical Test Method C)

Crocking: Dry: 5.0 Wet: 5.0 (AATCC 116-2013)


Tearing Strength: Warp: 37.5 lb Fill: 32.8 lb ASTM D 2261 (Tongue)

Breaking Strength: Warp: 244 lb Fill: 219 lb ASTM D 5034 (Grab)


Cleaning Code: S (Solvent)

Application: Upholstery

Fabric Weight (L/Y): 23 oz




Colorways



01 Eggshell



02 Pecan



03 Portobello



04 Almost Black

4590 Quill

Inspired by the 17th century art of paper marbling, Quill showcases exquisite feathered color combinations across its 10 colorways, giving this fabric a sense of movement that is at once both dramatic, yet soothing. A standard 54" fabric with over 75,000 Double Rubs (Wyzenbeek, Cotton Duck) and Brentano's Tri-sistant finish and acrylic backing, Quill is suitable for residential, hospitality and contract use and its appeal is further enhanced by its complimentary half-scale counterpart, Ink.



Fabric Information and Technical Specifications

Width: 54" [137 cm]

Contents: 71% Cotton, 29% Nylon

Finish: Tri-sistant and Acrylic Backing

Repeat: Approx. V 12" - H 9-1/4" (V 30.48cm - H 23.50cm)

Wear Test: Over 75,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 4.5 (AATCC 16)

Pilling: Class 3.0 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Seam Slippage: Warp: 60.5 b Fill: 75.6 (ASTM D4034)

Breaking Strength: Warp: 285 lb Fill: 264 lb ASTM D 5034 (Grab)

Cleaning Code: W/S (Water/Solvent)

Application: Upholstery

Fabric Weight (L/Y): 18 oz

Colorways



01 Grey Mist



02 Rosewater



03 Swordfish



04 Blue Amber



05 Blue Jay



06 Sparrow



07 Cat's Eye



08 Meadow



09 Vintage Burgundy



10 Tropical Frog

4594 Ink

The soft tones and gently feathered pattern of Ink are enhanced by the qualities it shares with its sister fabric, Quill. It's 10 colorways offer the same level of usability and durability with an abrasion resistance of over 75,000 double rubs (Wyzenbeek, Cotton Duck) and Brentano's Tri-sistant finish and acrylic backing. This 54" wide, smooth, flowing, pattern would be an appealing addition to any interior project.

Fabric Information and Technical Specifications

Width: 54" [137cm]

Contents: 71% Cotton, 29% Nylon

Finish: Tri-sistant and Acrylic Backing

Wear Test: Over 75,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 4.5 (AATCC 16)

Pilling: Class 3.0 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Breaking Strength: Warp: 285 lb Fill: 264 lb ASTM 5034 (Grab)

Cleaning Code: W/S (Water/Solvent)

Application: Upholstery

Fabric Weight (L/Y): 18 oz



Colorways



01 Overcast



02 Pink Beryl



03 Seashore



04 Eastern Bluebird



05 Lunar Cloud



06 Peppered Moth



07 Kingfisher



08 Pasture




09 Wine Cork



10 Paradise

6812 Corinthian

An attractive and refined faux-leather, Corinthian is available in an impressive 16 colorways, including clean, stoney neutrals and brilliant gemstone hues. As with most Brentano polyurethanes, this 54" textile benefits from an abrasion resistance of 100,000 double rubs (Wyzenbeek, Cotton Duck) and ink|SAFE finishing. It's also the first polyurethane to join the Brentano Studio program, meaning it's not only smart and durable, but also an excellent value. Corinthian is a dry processed Polyurethane, that uses near zero solvents, making it an environmentally friendly addition to our collection. Corinthian is ideal for the demands of hospitality, contract and healthcare applications while easily coping with the demands of day to day life for residential use.



Fabric Information and Technical Specifications

Width: 54" [137cm]

Contents: 100% Polyurethane Face; Overall: 65% Polyurethane, 29% Polyester, 6% Cotton

Finish: Ink Safe™

Wear Test: 100,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 200 Hours Class 3.5 (AATCC 16)

Hydrolysis: 5 weeks (ISO 1419 Tropical Test Method C)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Breaking Strength: Warp: 88 lb Fill: 125 lb ASTM 5034 (Grab)

Cleaning Code: W/S/B 1:10 (Water/Solvent/Bleach)

Application: Upholstery

Fabric Weight (L/Y): 24 oz

Colorways



01 Buttermilk



02 Mercury Glass



03 Spearmint



04 Caribbean



05 After Rain



06 Buckwheat



07 Bedrock



08 Blue Agave



09 Cinders



10 Cognac



11 Canyon



12 Otter



13 Cranberry



14 Spruce



15 Blueberry



16 Graphite

4579 Gentry

Gentry is elegant, contemporary and bright with a touch of wit. For each of its 6 colorways, Gentry has multiple complex color repeats, giving a variation of tones with a subtle striping effect. Gentry is a 54" wide, bleach cleanable, 100% post consumer recycled polyester fabric with an abrasion resistance of 100,000 double rubs (Wyzenbeek, Cotton Duck). Gentry also has Alta finishing with an acrylic backing, making it an outstanding option for hospitality, healthcare and contract projects.

Fabric Information and Technical Specifications

Width: 54" [137cm]

Contents: 100% High-Energy-Dyed Post Consumer Recycled Polyester

Finish: Alta™ and Acrylic Backing

Repeat: Approx. V 1" - H 3/4"

Wear Test: 100,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 5 (AATCC 16)

Pilling: Class 4.0 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Seam Slippage: Warp: 70.4 lb Fill: 63.0 lb (ASTM 4034)

Breaking Strength: Warp: 382 lb Fill: 371 lb ASTM 5034 (Grab)

Cleaning Code: W/S/B 1:5 (Water/Solvent/Bleach)

Application: Upholstery


Fabric Weight (L/Y): 22 oz




Colorways




01 Windsor Stone



02 Cobalt Estate




03 Highland Green



04 Phoenix Red



05 Lake District



06 Coastal Castle

6563 Regiment

A classic ottoman weave with a luxurious hand, the rich construction of Regiment gives its ribbed threads a plush feel and a lustrous, glossy aesthetic. Timelessly handsome, this regal upholstery has an abrasion resistance of 60,000 double rubs (Wyzenbeek, Cotton Duck) and is finished with Tri-sistant and acrylic backing. Its 7 brilliant colorways include warm silver, night blue, and a ruby burgundy, make it the perfect fabric for your next distinctive piece.

Fabric Information and Technical Specifications

Width: 57" [145 cm]

Contents: 83% Rayon, 17% Cotton

Finish: Tri-sistant and Acrylic Backing

Wear Test: Over 60,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Can be used with a barrier cloth in order to pass Cal 117:2013 Sec 2 in California, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 4.5 (AATCC 16)

Piling: Class 2.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 3.0 (AATCC 116-2013)

Seam Slippage: Warp: 72.3 lb Fill: 83.2 lb (ASTM D4034)

Breaking Strength: Warp: 239 lb Fill: 107 lb ASTM 5034 (Grab)

Cleaning Code: W/S (Water/Solvent)

Application: Upholstery

Fabric Weight (L/Y): 38 oz



Colorways



01 Silver Spoon



02 Lake



03 Driftwood



04 Celtic Sea



05 Ruby Slipper



06 Starry Night



07 Armor

2425 Manderley

Artful use of color across a variety of threads create this composed but alluring upholstery fabric. Manderley features thick and thin slub yarns, resulting in a texture resembling a lively, ultra-modern tweed. Protected with Stain Resistant finishing, along with an abrasion resistance over 75,000 double rubs (Wyzenbeek, Cotton Duck), this 54" wide fabric's traditional look and 11 relevant colorways results in limitless possibilities.

Fabric Information and Technical Specifications

Width: 54" [137cm]

Contents: 51% Cotton, 31% Acrylic, 18% Polyester

Finish: Stain Resistant

Wear Test: Over 75,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 4 (AATCC 16)

Piling: Class 3.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 3.0 (AATCC 116-2013)

Seam Slippage: Warp: 87.9 lb Fill: 90.8 lb (ASTM 4034)

Breaking Strength: Warp: 197 lb Fill: 131 lb ASTM 5034 (Grab)

Cleaning Code: S (Solvent)

Application: Upholstery


Fabric Weight (L/Y): 29 oz



Colorways



01 Koala




02 Lily Pad



03 Glacier



04 Cranberry



05 Raw Denim



06 Russian Blue



07 Blue Mist



08 Rusted



09 Night Sea



10 Tiger Iron



11 Blackwood

4283 Checkmate

Deftly utilizing the base cloth from No. 50 collection's Main Street, the small-scale pattern of Checkmate offers a finely woven graphic that reads as a texture. It's 5 usable colorways from Magnolia to Liquorice enhance a well-tailored textile, suitable for a multitude of installations. Made with the demands of hospitality and contract projects in mind, this 56" width fabric has an abrasion resistance of over 75,000 double rubs (Wyzenbeek, Cotton Duck), Tri-sistant finish and acrylic backing.

Fabric Information and Technical Specifications

Width: 56" [142cm]

Contents: 100% Polyester

Finish: Tri-sistant and Acrylic Backing

Wear Test: Over 75,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 4.5 (AATCC 16)

Piling: Class 4.0 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Seam Slippage: Warp 80.4 lb Fill: 84.1 lb (ASTM D4034)

Breaking Strength: Warp: 286 lb Fill: 294 lb ASTM 5034 (Grab)

Cleaning Code: W/S (Water/Solvent)

Application: Upholstery


Fabric Weight (L/Y): 12 oz



Colorways



01 Magnolia



02 Sycamore



03 Orchard



04 Bay



05 Liquorice

5515 Empire

A rich and sumptuous mohair, Empire is a bold addition to Brentano's family of luxurious velvets. This 54" wide fabric is offered in 18 lustrous colorways ranging from mature neutrals to deep jewel-tones, Empire is a must for modern, sophisticated interiors. The dense W weave pile contributes to its outstanding durability, having an abrasion resistance of 100,000 double rubs (Wyzenbeek, Cotton Duck), Empire is a magnificent foundation of the Sovereign collection.

Fabric Information and Technical Specifications

Width: 54" [137cm]

Contents: Pile: 100% Mohair; Overall: 61% Mohair, 39% Cotton

Wear Test: 100,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117:2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 5 (AATCC 16)

Piling: Class 4.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Seam Slippage: Warp 73.6 lb Fill: 64.7 lb (ASTM D4034)

Breaking Strength: Warp: 67 lb Fill: 121 lb ASTM 5034 (Grab)

Cleaning Code: S (Solvent)

Application: Upholstery

Fabric Weight (L/Y): 28 oz



Colorways



01 Pigeon



02 Jade



03 After Rain



04 Blush



05 Graphite




06 Deep Moss



07 Galaxite



08 Amber



09 Peacock



10 Starry Night



11 Burnt Orange



12 Ruby



13 Fig



14 Concord Grape



15 Sapphire



16 Eurasian Teal



17 Evergreen



18 Almost Black

3811 Coronation

Coronation is extravagant in every way. The stunning, 56" wide fabric features a 52" wide, lightly quilted embroidery that will add an intricate element of splendor to any project. Inspired by the shapes of faceted crystals and given further artistic detail by Founder and Design Director Iris Wang, this one-of-a-kind pattern is embroidered on the soft woolen base of Brentano's Eastman. Coronation boasts an impressive abrasion resistance of over 75,000 double rubs (Wyzenbeek, Cotton Duck) and Brentano's Tri-Sistant finish can be applied. Coronation is offered in 5 contemporary colorways; beautiful neutrals pair with opulent contrasting threads of white, gold and black, making it a must for creating a lavish accent in any interior.



Fabric Information and Technical Specifications

Width: 56" (Embroidery width 52")

[142 cm (Embroidery width 132 cm)]

Contents: 53% Wool, 41% Polyester, 6% Rayon

Finish: Tri-sistant can be applied

Repeat: Approx. V 14-1/8" - H 10-1/2 (V 35.88 - H 26.67cm)

Wear Test: Over 75,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 5 (AATCC 16)

Piling: Class 4.0 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.0 (AATCC 116-2013)

Seam Slippage: Warp 82.9 lb Fill: 101.7 lb (ASTM D4034)

Breaking Strength: Warp: 112 lb Fill: 91 lb ASTM 5034 (Grab)

Cleaning Code: S (Solvent)

Application: Upholstery

Fabric Weight (LY): 21 oz

Colorways



01 Cloudy Sky



02 Buckwheat



03 Meteorite



04 Graphite



05 Whiskey Black

2323 Pemberley

Charming and modern, Pemberley is a soft, tactile boucle offered in 6 tonal colorways. Its light neutrals and gentle blues mimic delicate natural shading found in crystal geodes. This 54" width fabric boasts an abrasion resistance of 75,000 double rubs (Wyzenbeek, Cotton Duck), making Pemberley supple yet durable. It's ideal for a multitude of applications and Brentano's Tri-sistant finish can be applied.

Fabric Information and Technical Specifications

Width: 54" [137cm].

Contents: 41% Polyester, 28% Viscose, 14% Linen, 9% Cotton, 8% Acrylic

Finish: Tri-sistant can be applied

Wear Test: 75,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1

Lightfastness: 40 Hours Class 4.5 (AATCC 16)

Piling: Class 4.0 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Seam Slippage: Warp 131.3 lb Fill: 122.0 lb (ASTM D4034)

Breaking Strength: Warp: 202 lb Fill: 153 lb ASTM 5034 (Grab)

Cleaning Code: S (Solvent)

Application: Upholstery

Fabric Weight (L/Y): 28 oz



Colorways



01 Sculpture



02 Sand Dollar



03 Soft Blush



04 Aquamarine



05 Blue Mist



06 Night Sea

7300 Morning Star

Morning Star's 8 stunning ombre colorways capture the warm hues of an early spring sky and the settling tones of a wintry dusk. Morning Star's handsome look is achieved by framing vibrant threads with rows of float yarns to capture the changing colors. These are then woven to achieve an understated graphic repeat that, when upholstered, reads as a very restrained lightweight check. Eligible to be treated to pass NFPA 701, this gorgeous 54" pattern comes in 8 rich colorways to make an unforgettable statement piece for any residential application or as a striking accent in a hospitality or commercial setting.

Fabric Information and Technical Specifications

Width: 54" [137 cm]

Contents: 68% Viscose, 32% Linen

Repeat: Approx. V 5-3/8" - H 5-3/8" (V 13.65cm - H 13.65cm)

Wear Test: 15,000 Double Rubs (Wyzenbeek, Cotton Duck)

Flammability: Can be treated to pass California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1, Can be treated to pass NFPA 701 Test 1

Lightfastness: 60 Hours Class 4.5 (AATCC 16)

Piling: Class 2.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 2.5 (AATCC 116-2013)

Seam Slippage: Warp: 92.7 lb Fill: 69.7 lb (ASTM D4034)

Breaking Strength: Warp: 194.6 lb Fill: 193.1 lb ASTM 5034 (Grab)

Cleaning Code: S (Solvent)

Application: Drapery, Upholstery

Fabric Weight (L/Y): 21 oz



Colorways




01 Snowcap



02 Mustang



03 Tawny



04 Cantaloupe



05 Mulberry



06 Pluto



07 Northern Lights



08 Orca

2608 Herald Stripe

Striking, simple and modern, Herald Stripe is a double-width 118" sheer made with 100% Trevira CS polyester. Subtle color variations in its narrow, repeating stripes, create naturally atmospheric color schemes complimentary to a variety of moods and interior designs. Offered in 5 neutral colorways and passing NFPA 701 Test 1 and IMO 2010 FTPC 7 Drapery, this is an ideal fabric for both residential and commercial use.

Fabric Information and Technical Specifications

Width: 118" [300 cm]

Contents: 100% Trevira CS Polyester

Repeat: Approx. V 8-1/2" (V 21.59cm)

Flammability: Passes NFPA 701 Test 1 and IMO 2010 FTPC Part 7 Drapery

Lightfastness: 60 Hours Class 5 (AATCC 16)

Seam Slippage: Warp: 18.5 lb Fill: 36.9 lb (ASTM D434)

Cleaning Code: S (Solvent)

Application: Drapery


Fabric Weight (L/Y): 8 oz



Colorways



01 Paper White



02 White Marble



03 Dove



04 French Beige



05 Chinchilla

2720 Contessa

An intricate but modern interpretation of classical design motifs, the soft, traditional lines of Contessa bring a refreshing focal point for drapery applications. Embroidered on a linen/polyester ground, small details are stitched with fine threads, creating delicate accents across this 54" width sheer (with an embroidery width of 50"). Elegant, yet minimalistic enough for modern homes, Contessa comes in 5 pleasing colorways, including a soft blush and a chic, warm grey.

Fabric Information and Technical Specifications

Width: 54" (Embroidery width 50") [137cm (Embroidery width 127)]

Contents: 30% Linen, 30% Polyester, 26% Viscose, 14% Cotton

Repeat: Approx. V 18-1/2" - H 33-1/4" (V 49.99cm - H 84.46cm)

Lightfastness: 60 Hours Class 4 (AATCC 16)

Seam Slippage: Warp 39.3 lb Fill: 47.3 lb (ASTM D4034)

Cleaning Code: S (Solvent)

Application: Drapery

Fabric Weight (L/Y): 8 oz



Colorways



01 Gardenia



02 White Peach



03 Winter



04 Silverfox



05 Almost Black

1227 Polo

A fresh addition to our indoor/outdoor fabrics, Polo is an appealing textile, available in 15 invigorating colorways. Ever-versatile, this 54" width upholstery functions equally well on its own, or when coordinated with Windsor and other Brentano indoor/outdoor favorites. Immensely practical, Polo has an outstanding abrasion resistance of 100,000 double rubs (Wyzenbeek, Wire Screen), is bleach cleanable and has IMO Wheelmark* certification. It also passes ATSM 84 making it also suitable for wall panel applications. Overall Polo is an invaluable option for just about any project from the family room sofa to the pool deck of a cruise ship.

Fabric Information and Technical Specifications

Width: 54" [137 cm]

Contents: 100% Solution-Dyed FR Inherent Polypropylene

Wear Test: 100,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1, Passes IMO 2010 FTPC Part 8 Upholstery and ASTM E-84 Class A (Unadhered)

Lightfastness: 600 Hours Class 4.5 (AATCC 16)

Piling: Class 4.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Seam Slippage: Warp 104.6 lb Fill: 118.6 lb (ASTM D4034)

Breaking Strength: Warp: 527 lb Fill: 375 lb ASTM 5034 (Grab)

Cleaning Code: W/S/B 1.5 (Water/Solvent/Bleach)

Application: Indoor/Outdoor Upholstery

Fabric Weight (L/Y): 24 oz



Colorways



01 Sugar



02 Dove



03 Flax



04 Oatmeal



05 Winter




06 Stone



07 Pebbles




08 Amber Sands



09 Scuba Blue



10 Hummingbird



11 Coast



12 Midnight



13 Kindling Wood



14 Almost Black



15 Jet Black

1223 Windsor

Established and striking, Windsor revitalizes the classic chevron weave into an adaptable, multi-use indoor/outdoor upholstery. With 11 thoroughly usable colorways, this 54" width multi-toned fabric is woven with a total of 6 different textured yarns, giving it a unique look and pleasing hand. IMO Wheelmark* certified, its rich neutrals and bold, bright colors are designed to complement other Wheelmarked fabrics in our line. Bleach cleanable and possessing an abrasion resistance of 100,000 double rubs (Wyzenbeek, Wire Screen), Windsor will add a polished look to any outdoor or indoor applications and as with Polo, it passes ASTM 84, making it similarly suitable for wall panel applications.



Fabric Information and Technical Specifications

Width: 54" [137 cm]

Contents: 100% Solution-Dyed FR Inherent Polypropylene

Repeat: V 4-7/8" - H 2-3/4" (V 12.38cm - H 6.99cm)

Wear Test: 100,000 Double Rubs (Wyzenbeek, Wire Screen)

Flammability: Passes California Bulletin 117: 2013, UFAC Class 1, NFPA 260 Class 1, Passes IMO 2010 FTPC Part 8 Upholstery and ASTM E-84 Class A (Unadhered)

Lightfastness: 600 Hours Class 4.5 (AATCC 16)

Piling: Class 4.5 (ASTM D3511)

Crocking: Dry 4.5 Wet: 4.5 (AATCC 116-2013)

Seam Slippage: Warp 120.0 lb Fill: 130.2 lb (ASTM D4034)

Breaking Strength: Warp: 581 lb Fill: 423 lb ASTM 5034 (Grab)

Cleaning Code: W/S/B (Water/Solvent/Bleach)

Application: Indoor/Outdoor Upholstery

Fabric Weight (L/Y): 24 oz

Special Note: IMO Wheelmark Certified

Colorways



01 Platinum



02 Oatmeal



03 Winter



04 Pebbles



05 Clementine



06 Flash



07 Honey Blonde



08 Coast



09 Laguna




10 Midnight



11 Siamese Cat

Installation Shots



2425-03 Manderley Glacier: Sofa



4590-01 Quill Grey Mist: Pillow



6563-01 Regiment Silver Spoon: Pillow



4590-03 Quill Swordfish: Pillow



6812-05 Corinthian After Rain: Bolster

Installation Shots



5515-08 Empire Amber:
Sofa



4590-08 Quill Meadow:
Pillows



6812-03 Corinthian
Spearmint: Pillows



4594-08 Ink Pasture:
Pillows



3912-01 Plateau Eggshell:
Sofa



2323-02 Pemberley Sand
Dollar: Pillows


Installation Shots



7300-03 Morning Star
Tawny: Sofa




5515-04 Empire Blush:
Pillow



2608-04 Herald Stripe
French Beige: Drapes

Installation Shots



6812-09 Corinthian
Cinders: Sofa

Collection Drawings



3811 Coronation



4590 Quill